

QE BRAKE CLEANER

PRODUCT DESCRIPTION

A fast and effective brake system cleaner. Ensures optimal friction between brake and clutch components and improves braking efficiency. Removes uncured sealants, waxes, grease, adhesives, silicone, and other greasy and tarry contaminants.

APPLICATION

- › For the automotive and industrial sectors;
- › A special combination of solvents for easy and safe cleaning and degreasing of mechanical and structural parts;
- › For cleaning disc and drum brakes, can be used to clean clutches or carburetors, as well as moving parts, steel cables, engines, and gearboxes;
- › Effective in removing stubborn dirt, such as brake fluid residue, oil, grease, tar residue, and also removes adhering dust thanks to the rinsing effect;

PRODUCT PROPERTIES

- › Fast, effective and easy to use;
- › Acetone-free - does not damage rubber or synthetic components, such as plastics, piston skirts, hydraulic hoses, or seals;
- › 360-degree valve - sprays and cleans at any angle;
- › Evaporates quickly due to the low boiling point of the solvent;
- › Ozone layer safe (CFC-free);

TECHNICAL PARAMETERS

Colour	transparent
Smell	characteristic
State of matter	aerosol, liquid
Density	0,70 - 0,80 g/cm ³
Temperature resistance	+5°C ÷ +35°C
pH value	not applicable

Technical Data Sheet (TDS)

QE BRAKE CLEANER

Solubility:	
a) in the water	insoluble
b) in organic solvents	soluble

The above table is for informational purposes only

DELIVERY FORM | PACKAGE

Can, 500 ml

DIRECTIONS FOR USE

Before use, read the product label. Ensure good ventilation in the work area. Shake the container vigorously before use. Spray on the parts to be cleaned, let it act for a moment, and then wipe with a clean, dry cloth. For sensitive surfaces, spray onto a cloth and wipe. Repeat if heavily soiled.

STORAGE AND EXPIRY DATE

The product should be stored in a closed container, upright, in a dry, cool, and well-ventilated place, away from direct sunlight and other sources of heat and ignition. Storage temperature: +5°C to +35°C (room temperature recommended). Expiration date: 2 years from the date of production. The production date is located on the bottom of the packaging.

With the publication of this data sheet, all previous editions become invalid. Release: 03/25

The product information contained in the technical data sheet is the result of conducted research. With regard to the possibility of using the product (point 3 of this technical data sheet), they should be treated only as recommendations resulting from the manufacturer's experience. Due to the numerous application possibilities and a wide range of work methods using the product, the Manufacturer does not bear any responsibility in this respect, and in particular is not responsible for the consequences of improper use of the product or the effects of work involving the product. Product information is valid only in its most current version.

RYTM TRADE Sp. z o.o.
ul. Strefowa 14
43-100 Tychy | Poland
Tel.: +48 32 324 00 60 /61

WWW.RYTMTRADE.COM



Technical Data Sheet (TDS)
QE BRAKE CLEANER